DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 08/29/2014 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING 02			(X3) DATE SURVEY COMPLETED	
		4500004054	D WING		I	R-C	
15C0001051			B. WING _			2/14/2014	
NAME OF PROVIDER OR SUPPLIER				STREET ADDRESS, CITY, STATE, ZIP CO	DDE		
INDIANAPOLIS ENDOSCOPY CENTER LLP				8315 E 56TH ST STE 100			
				INDIANAPOLIS, IN 46216			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	(EACH CORRECTIVE ACTION CROSS-REFERENCED TO THE	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		
{K 000}	0) INITIAL COMMENTS		{K 00	00}			
	Paper compliance to Recertification Survey was completed on 02	conducted on 01/27/14					
	Review Date: 02/14/14						
	Facility Number: 0070 Provider Number: 15 AIM Number: 200038	C0001051					
	Surveyor: Dennis Aus Specialist	still, Life Safety Code					
	compliance with Requ Medicare/Medicaid, 4 Life Safety from Fire a						

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.